


A0866781 Mendoza Chain WW-3 12V

Technical specifications:

Length:	8.5mtr (50 units)
LED system:	50 units with 3 warm-white LED's (5050) 3000K
Total lightoutput:	2000 Lm
Lightoutput one unit:	40 Lm
Beam angle:	120°
Power consumption:	8.5mtr = 50 units max.30W
IP Rating:	IP65
Jacket:	Aluminum/PVC
cutting length:	One unit = 3 LED's = 0.48W
Working temperature:	-20°C until +50° C
Backside unit:	PVC with self adhesive 3M tape



Relative luminous distribution

KG 0.514	Operat. Power 12V DC	Class Class III	IP IP-65	Light-output 8.5m 2000 Lm	120° Symm. LED-Lens	L8500 mm W16.5 mm H 5.8 mm D 82.5 Dimensions
--------------------	--------------------------------	---------------------------	--------------------	--	----------------------------------	---



<p>Advised 8 ch. DMX controller:</p> <p>A9915063 Domotion ART-8D white included IR remote control</p> <ul style="list-style-type: none"> • 8 DMX channels • 8 programmable scenes • Masterdim • Switch-Fade-Off-time 1-8 sec. • Scene to Scene fade 1-8 sec. 	<p>Advised 8 ch. DMX controller:</p> <p>A9915062 Domotion ART-8D black included IR remote control</p> <ul style="list-style-type: none"> • 8 DMX channels • 8 programmable scenes • Masterdim • Switch-Fade-Off-time 1-8 sec. • Scene to Scene fade 1-8 sec.
---	---

Dimensions in mm

Dimensions in mm

<p>Advised ART-8D Powersupply:</p> <p>A9900030 PSU-12 12V Wallbox-Powersupply (not included)</p>	<p>Advised 12V DC LED powersupply:</p> <p>A9900350 DC 12V 30W (IP64) (145x47x30mm / 0.22 Kg) (max. 8m A0866773 = 50 units)</p>	<p>Advised DMX Dimmer:</p> <p>A9915015 DMX-512 1-ch. PWM Dimmer (90x40x20mm / 0.05 Kg) max. load 5A@12V = 60W (max. 8m A0866773 = 50 units)</p>
--	--	---

<p>Dimensions in mm</p> <p>Total chain length 2500mm contains 50 modules with IP65 connected cables</p>	<p>Do not use in sealed or hot places. Ensure a proper heat dissipation</p> <p>Dimmable</p> <p>Non-Dimmable</p>
--	--

